



# PIPE

## PIPE DIMENSIONS AND WEIGHTS

PLEASE INQUIRE ABOUT STOCK STATUS/AVAILABILITY

NORMAL PIPE SIZE INCHES	OUTSIDE DIA. INCHES	I.P.S. SCHEDULE			WALL THICKNESS INCHES	INSIDE DIA. INCHES	WT./FT. POUNDS
<b>1/8</b>	0.405		10S		0.049	0.307	0.1863
		40	40S	Std.	0.068	0.269	0.2447
		80	80S	Ex. Hvy.	0.095	0.215	0.3145
<b>1/4</b>	0.540		10S		0.065	0.410	0.3297
		40	40S	Std.	0.088	0.364	0.4248
		80	80S	Ex. Hvy.	0.119	0.302	0.5351
<b>3/8</b>	0.675		10S		0.065	0.545	0.4235
		40	40S	Std.	0.091	0.493	0.5676
		80	80S	Ex. Hvy.	0.126	0.423	0.7388
<b>1/2</b>	0.840		5S		0.065	0.710	0.5383
			10S		0.083	0.674	0.6710
		40	40S	Std.	0.109	0.622	0.8510
		80	80S	Ex. Hvy.	0.147	0.546	1.0880
		160			0.187	0.466	1.3040
					XX Hvy.	0.294	0.252
<b>3/4</b>	1.050		5S		0.065	0.920	0.6838
			10S		0.083	0.884	0.8572
		40	40S	Std.	0.113	0.824	1.1310
		80	80S	Ex. Hvy.	0.154	0.742	1.4740
		160			0.218	0.614	1.9370
					XX Hvy.	0.308	0.434
<b>1</b>	1.315		5S		0.065	1.185	0.8678
			10S		0.109	1.097	1.4040
		40	40S	Std.	0.133	1.049	1.6790
		80	80S	Ex. Hvy.	0.179	0.957	2.1720
		160			0.250	0.815	2.8440
					XX Hvy.	0.358	0.599
<b>1-1/4</b>	1.660		5S		0.065	1.530	1.1070
			10S		0.109	1.442	1.8060
		40	40S	Std.	0.140	1.380	2.2730
		80	80S	Ex. Hvy.	0.191	1.278	2.9970
		160			0.250	1.160	3.7650
					XX Hvy.	0.382	0.896
<b>1-1/2</b>	1.900		5S		0.065	1.770	1.2740
			10S		0.109	1.682	2.0850
		40	40S	Std.	0.145	1.610	2.7180
		80	80S	Ex. Hvy.	0.200	1.500	3.6310
		160			0.281	1.338	4.8590
					XX Hvy.	0.400	1.100
<b>2</b>	2.375		5S		0.065	2.245	1.6040

			10S		0.109	2.157	2.6380
		40	40S	Std.	0.154	2.067	3.6530
		80	80S	Ex. Hvy.	0.218	1.939	5.0220
		160			0.343	1.689	7.4440
				XX Hvy.	0.436	1.503	9.0290
<b>2-1/2</b>	2.875		5S		0.083	2.709	2.4750
			10S		0.120	2.635	3.5310
		40	40S	Std.	0.203	2.469	5.7930
		80	80S	Ex. Hvy.	0.276	2.323	7.6610
		160			0.375	2.125	10.0100
				XX Hvy.	0.552	1.771	13.6900
<b>3</b>	3.500		5S		0.083	3.334	3.0290
			10S		0.120	3.260	4.3320
		40	40S	Std.	0.216	3.068	7.5760
		80	80S	Ex. Hvy.	0.300	2.900	10.2500
		160			0.438	2.624	14.3200
				XX Hvy.	0.600	2.300	18.5800
<b>3-1/2</b>	4.000		5S		0.083	3.834	3.4720
			10S		0.120	3.760	4.9730
		40	40S	Std.	0.226	3.548	9.1090
		80	80S	Ex. Hvy.	0.318	3.364	12.5000
<b>4</b>	4.500		5S		0.083	4.334	3.9150
			10S		0.120	4.260	5.6130
		40	40S	Std.	0.237	4.026	10.7900
		80	80S	Ex. Hvy.	0.337	3.826	14.8900
		120			0.438	3.624	19.0000
		160			0.531	3.438	22.5100
				XX Hvy.	0.674	3.152	27.5400
<b>5</b>	5.563		5S		0.109	5.345	6.3490
			10S		0.134	5.295	7.7700
		40	40S	Std.	0.258	5.047	14.6200
		80	80S	Ex. Hvy.	0.375	4.813	20.7800
		120			0.500	4.563	27.0400
		160			0.625	4.313	32.9600
				XX Hvy.	0.750	4.063	38.5500
<b>6</b>	6.625		5S		0.109	6.407	7.5850
			10S		0.134	6.357	9.2890
		40	40S	Std.	0.280	6.056	18.9700
		80	80S	Ex. Hvy.	0.432	5.761	28.5700
		120			0.562	5.491	36.3900
		160			0.718	5.189	45.3000
				XX Hvy.	0.864	4.897	53.1600
<b>8</b>	8.625		5S		0.109	8.407	9.9140
			10S		0.148	8.329	13.4000
		20			0.250	8.125	22.3600
		30			0.277	8.071	24.7000
		40	40S	Std.	0.322	7.981	28.5500
		60			0.406	7.813	35.6400
		80	80S	Ex. Hvy.	0.500	7.625	43.3900
		100			0.593	7.439	50.8900
		120			0.718	7.189	60.9300
		140			0.812	7.001	67.7600

				XX Hvy.	0.875	6.875	72.4200
		160			0.906	6.813	74.6900
<b>10</b>	10.750		5S		0.134	10.482	15.1900
			10S		0.165	10.420	18.7000
		20			0.250	10.250	28.0400
		30			0.307	10.136	34.2400
		40	40S	Std.	0.365	10.020	40.4800
		60	80S	Ex. Hvy.	0.500	9.750	54.7400
		80			0.593	9.564	64.3300
		100			0.718	9.224	76.9300
		120			0.843	9.064	89.2000
<b>12</b>	12.750	5S			0.165	12.420	22.1800
			10S		0.180	12.390	24.2000
		20			0.250	12.250	33.3800
		30			0.330	12.090	43.7700
		40	40S	Std.	0.375	12.000	49.5600
		40			0.406	11.938	53.5300
			80S	Ex. Hvy.	0.500	11.750	65.4200
		60			0.562	11.626	73.1600
		80			0.687	11.376	88.5100
		100			0.843	11.064	107.2000
		120			1.000	10.750	125.5000
		140			1.125	10.500	139.7000
		160			1.312	10.126	160.3000
<b>14</b>	14.000	10			0.250	13.500	36.7100
		20			0.312	13.376	45.6800
		30		Std.	0.375	13.250	54.5700
		40			0.438	13.124	63.3700
				Ex. Hvy.	0.500	13.000	72.0900
		60			0.593	12.814	84.9100
		80			0.750	12.500	106.1000
		100			0.937	12.126	130.7000
		120			1.093	11.814	150.7000
		140			1.250	11.500	170.2000
		160			1.406	11.188	189.1000
<b>16</b>	16.000	10			0.250	15.500	42.0500
		20			0.312	15.376	52.3600
		30		Std.	0.375	15.250	62.5800
		40		Ex. Hvy.	0.500	15.000	82.7700
		60			0.656	14.688	107.5000
		80			0.843	14.314	136.5000
		100			1.031	13.938	164.8000
		120			1.218	13.564	192.3000
		140			1.438	13.124	223.5000
		160			1.593	12.814	245.1000
<b>18</b>	18.000	10			0.250	17.500	47.3900
		20			0.312	17.376	59.0300
				Std.	0.375	17.250	70.5900
		30			0.438	17.124	82.0600
				Ex. Hvy.	0.500	17.000	93.4500
		40			0.562	16.876	104.8000
		60			0.750	16.500	138.2000
		80			0.937	16.126	170.8000

		100		1.156	15.688	208.0000
		120		1.375	15.250	244.1000
	18.000	140		1.562	14.876	274.2000
		160		1.781	14.438	308.5000
<b>20</b>	20.000	10		0.250	19.500	52.7300
		20	Std.	0.375	19.250	78.6000
		30	Ex. Hvy.	0.500	19.000	104.1000
		40		0.593	18.814	122.9000
		60		0.812	18.376	166.4000
		80		1.031	17.938	208.9000
		100		1.281	17.438	256.1000
		120		1.500	17.000	296.4000
		140		1.750	16.500	341.1000
		160		1.968	16.064	379.0000
<b>24</b>	24.000	10		0.250	23.500	63.4100
		20	Std.	0.375	23.250	94.6200
			Ex. Hvy.	0.500	23.000	125.5000
		30		0.562	22.876	140.8000
		40		0.687	22.626	171.2000
		60		0.968	22.064	238.1000
		80		1.218	21.564	296.4000
		100		1.531	20.938	367.4000
		120		1.812	20.376	429.4000
		140		2.062	19.876	483.1000
		160		2.343	19.314	541.9000
<b>30</b>	30.000	10		0.312	29.376	98.9000
			Std.	0.375	29.250	118.7000
		20	Ex. Hvy.	0.500	29.000	157.5000
		30		0.625	28.750	196.1000
<b>36</b>	36.000		Std.	0.375	35.250	142.7000
			Ex. Hvy.	0.500	35.000	189.6000
<b>38</b>	38.000			0.312	125.58	
				0.375	150.69	
				0.500	200.25	
<b>40</b>	40.000			0.312	132.25	
				0.375	158.70	
				0.500	210.93	
<b>42</b>	42.000			0.312	138.91	
				0.375	166.71	
				0.500	221.61	